



according to WHS Regulations

Print date: 17.08.2023

Revision date: 17.08.2023

1 Identification

Product Name: MAXISIL A

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Silicone sealant

Details of Manufacturer or Importer: Maxisil 55 Lakewood Boulevard Carrum Downs VIC 3201

Phone Number: 1300 157 207

Emergency telephone number: National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Corrosion/Irritation 2H315 Causes skin irritation.Eye Irritation 2AH319 Causes serious eye irritation.Skin Sensitisation 1H317 May cause an allergic skin reaction.

Signal Word Warning

Hazard Statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P264	Wash thoroughly after handling.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves / eye protection / face protection.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P321	Specific treatment (see on this label).	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P391	Collect spillage.	

according to WHS Regulations

Print date: 17.08.2023

Product Name: MAXISIL A

Revision date: 17.08.2023

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

CAS: 4253-34-3	Methyltriacetoxysilane	<2.5%
	Skin Corrosion/Irritation 1B, H314; Eye Damage 1, H318; Acute Toxicity (Oral) 4, H302	
CAS: 17689-77-9	Ethyltriacetoxysilane	<2.5%
	Skin Corrosion/Irritation 1B, H314; Eye Damage 1, H318; Acute Toxicity (Oral) 4, H302	
CAS: 26530-20-1	2-Octyl-2H-isothiazol-3-one	<0.1%
	♦ Acute Toxicity (Oral) 3, H301; Acute Toxicity (Dermal) 3, H311; Acute Toxicity (Inhalation) 2, H330; ♦ Skin Corrosion/Irritation 1B, H314; ♦ Aquatic Chronic 1, H410 (M=100); ♦ Skin Sensitisation 1A, H317	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

Eye Contact:

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give 1-2 glasses of water to drink in small sips. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. Skin Contact: Causes skin irritation. May cause an allergic skin reaction. Eye Contact: Causes serious eye irritation. Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include unidentified potentially toxic gases.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours or mists. Ensure adequate ventilation.

according to WHS Regulations

Print date: 17.08.2023

Product Name: MAXISIL A

(Contd. of page 2)

Revision date: 17.08.2023

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours or mists. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat and direct sunlight.

8 Exposure Controls and Personal Protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:	
Form:	F
Colour:	A
Odour:	F
Odour Threshold:	N
pH-Value:	N
Melting point/freezing point:	N
Initial Boiling Point/Boiling Range:	N
Flash Point:	N
Flammability (solid, gas):	N

Paste According to product specification Pungent No information available Not applicable

according to WHS Regulations

No information available

No information available

No information available

No information available

Print date: 17.08.2023

Revision date: 17.08.2023

Product Name: MAXISIL A

Explosion Limits:

Vapour Pressure:

Relative Density:

Vapour Density: Evaporation Rate:

Solubility in Water:

Lower:

Upper:

Viscositv:

Auto-ignition Temperature:

Decomposition Temperature:

(Contd. of page 3) No information available No information available No information available No information available No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Insoluble

Conditions to Avoid: Heat and direct sunlight.

Incompatible Materials: No further relevant information available.

Partition Coefficient (n-octanol/water): No information available

Hazardous Decomposition Products: Unidentified potentially toxic gases.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

Oral	LD50	1,600 mg/kg (Rattus norvegicus (rat)) (OECD Test Guideline 401)			
CAS: 17689-77-9 Ethyltriacetoxysilane					
Oral	LD50	380 mg/kg (Rattus norvegicus (rat))			
CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-one					
Oral	LD50	550 mg/kg (Rattus norvegicus (rat))			
Dermal	LD50	4.22 mg/kg (Rattus norvegicus (rat))			
Inhalation	LC50/4 h	0.58 mg/l (Rattus norvegicus (rat))			

Acute Health Effects

Inhalation: May cause respiratory irritation.

Skin: Causes skin irritation. May cause an allergic skin reaction.

Eye: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Causes skin irritation.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met. This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

according to WHS Regulations

Print date: 17.08.2023

Product Name: MAXISIL A

Revision date: 17.08.2023

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

12 Ecological Information

Ecotoxicity:

Aquatic toxicity:

Toxic to aquatic life with long lasting effects.

CAS: 17689-77-9 Ethyltriacetoxysilane

EC50/48 h 62 mg/l (Daphnia magna (water flea))

LC50/96 h 251 mg/l (Danio rerio (zebra fish))

Persistence and Degradability: Not readily biodegradable.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration: Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated

Proper Shipping Name Not regulated

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule: Not a scheduled poison.

16 Other Information

Date of Preparation or Last Revision: 15.08.2023

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit TWA: Time Weighted Average

according to WHS Regulations

Print date: 17.08.2023

Product Name: MAXISIL A

Revision date: 17.08.2023

(Contd. of page 5)

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Acute Toxicity (Oral) 3: Acute toxicity – Category 3 Acute Toxicity (Oral) 4: Acute toxicity – Category 4 Acute Toxicity (Inhalation) 2: Acute toxicity – Category 2 Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Eye Irritation 2: Skin sensitisation, Hazard Category 1 Skin Sensitisation 1: Skin sensitisation, Hazard Category 1 Skin Sensitisation 1A: Skin sensitisation, Hazard Category 1A Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 2 Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Maxisil makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.