



SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 28.11.2018

Revision: 28.11.2018

1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: MAXISIL P

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Silicone sealant

Details of Manufacturer or Importer:

Supplied in New Zealand by:

Tilers Mate

33 Fairfax Avenue,

Penrose, Auckland, New Zealand

Manufactured by Maxisil

55 Lakewood Boulevard, Carrum Downs

VIC 3201

Phone Number: + 64 8 0085 6283

Emergency telephone number: + 64 8 0085 6283

2 . HAZARDS IDENTIFICATION

Hazardous Nature:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand.

Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

The product is not classified, according to the Globally Harmonised System (GHS).

HSNO Classification None

Signal Word None

Hazard Statements None

Precautionary Statements None

3 . COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 22984-54-9	2-Butanone, O,O',O''-(methylsilylidyne)trioxime ⚠ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; Acute Toxicity (Inhalation) 4, H332; Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335	<2.5%
CAS: 37859-55-5	2-Pentanone, O,O',O''-(methylsilylidyne)trioxime ⚠ STOT RE 2, H373; ⚠ Serious Eye Damage/Irritation 2A, H319; Aquatic Chronic 3, H412	<2.5%
CAS: 128446-60-6	Silsesquioxanes, 3-aminopropyl methyl, ethoxy terminated ⚠ Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319	<2.5%

Additional information:

Contains the biocide carbendazim (ISO) to protect against mould.

This product contains ingredients which may cause an allergic reaction in some people.

During the application of the product pentan-2-one oxime (CAS No. 623-40-5) and methyl ethyl ketoxime (CAS No. 96-29-7) are released. These substances may cause eye and respiratory irritation and irreversible health defects.

(Contd. on page 2)

SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 28.11.2018

Revision: 28.11.2018

Product Name: MAXISIL P

(Contd. of page 1)

4 . FIRST AID MEASURES

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Rinse out mouth and then drink plenty of water in small amounts. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: No adverse health effects expected.

Skin Contact: May cause mucous membranes and skin irritation. May cause an allergic skin reaction.

Eye Contact: May cause eye irritation.

Ingestion: Ingestion is not considered a potential route of exposure.

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Carbon dioxide, dry chemical powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Specific Hazards Arising from the Chemical:

Formation of toxic gases is possible during heating or in case of fire.

At temperatures above 150 °C small quantities of formaldehyde are formed.

This product is not flammable or explosive, but may decompose in a fire.

Containers close to fire should be removed only if safe to do so.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, safety goggles, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material.

Collect the spilled material and place into a suitable container for disposal.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Ensure good ventilation at the workplace.

Food, beverages and tobacco products should not be stored or consumed where this material is in use.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and

(Contd. on page 3)

SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 28.11.2018

Revision: 28.11.2018

Product Name: MAXISIL P

(Contd. of page 2)

other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed. Protect from direct sunlight and heat.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Nitrile rubber, natural rubber or viton gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form:	Paste
Colour:	According to product specification
Odour:	Characteristic
Odour Threshold:	Not determined.
pH-Value:	Not determined.
Melting point/freezing point:	Not determined
Initial Boiling Point/Boiling Range:	Not determined
Flash Point:	Not applicable
Flammability:	Not applicable.
Auto-ignition Temperature:	Product is not self-igniting.
Decomposition Temperature:	Not determined.
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	Not determined.
Relative Density at 20 °C:	1.03
Vapour Density:	Not determined.
Evaporation Rate:	Not determined.
Solubility in Water:	Insoluble

(Contd. on page 4)

SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 28.11.2018

Revision: 28.11.2018

Product Name: MAXISIL P

(Contd. of page 3)

Partition Coefficient (n-octanol/water): Not determined.

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: No further relevant information available.**Chemical Stability:** Stable at ambient temperature and under normal conditions of use.**Conditions to Avoid:** Direct sunlight and strong heating.**Incompatible Materials:** No further relevant information available.**Hazardous Decomposition Products:**

Formation of toxic gases is possible during heating or in case of fire.

At temperatures above 150 °C small quantities of formaldehyde are formed.

11 . TOXICOLOGICAL INFORMATION

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:** No information available**Acute Health Effects****Inhalation:** No adverse health effects expected.**Skin:** May cause mucous membranes and skin irritation. May cause an allergic skin reaction.**Eye:** May cause eye irritation.**Ingestion:** Ingestion is not considered a potential route of exposure.**Skin Corrosion / Irritation:** Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:**

If pentan-2-one oxime and methyl ethyl ketoxime are breathed in high concentrations over a long period (e.g. in case of insufficient ventilation), they might cause irreversible health effects.

Existing Conditions Aggravated by Exposure: No information available**Additional toxicological information:** No information available

12 . ECOLOGICAL INFORMATION

Ecotoxicity: No information available**Aquatic toxicity:** No information available**Persistence and Degradability:** Product is not biodegradable.**Bioaccumulative Potential:** No information available

(Contd. on page 5)

SAFETY DATA SHEET

according to HSNO Act 1996

Printing date 28.11.2018

Revision: 28.11.2018

Product Name: MAXISIL P

(Contd. of page 4)

Mobility in Soil: No information available**Other adverse effects:** Slightly hazardous for water.

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers:

Dispose according to applicable local and state government regulations.

Already cured material can be disposed of with the domestic or commercial waste.

Unconsumed material (fluid, paste-like) is to dispose of as hazardous waste.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION

UN Number Not regulated**Proper Shipping Name** Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

15 . REGULATORY INFORMATION

HSNO Approval Code / Group Standard:

This product is non-hazardous and so is exempt from HSNO approval.

New Zealand Inventory of Chemicals

All ingredients are listed.

16 . OTHER INFORMATION

Date of Preparation or Last Revision: 28.11.2018**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

WES: Workplace Exposure Standard

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Disclaimer

This SDS is prepared in accord with the New Zealand Chemical Industry Council document 'Code of Practice (No. HSNO CoP 8-1 09-06)'.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Tilers Mate makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.