

# Safety Data Sheet according to WHS Regulations

Printing date 23.02.2023 Revision date: 23.02.2023

#### 1 Identification

Product Name: Maxisil Maxigrab Original Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Preparation of adhesives

#### **Details of Manufacturer or Importer:**

Maxisil

55 Lakewood Boulevard Carrum Downs VIC 3201

Phone Number: 1300 157 207

Emergency telephone number: National Poisons Information Centre: 13 11 26

### 2 Hazard(s) Identification

#### **Hazardous Nature:**

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition), IATA and IMDG/IMSBC.



Eye Irritation 2A H319 Causes serious eye irritation.

#### Signal Word Warning

#### **Hazard Statements**

H319 Causes serious eye irritation.

#### **Precautionary Statements**

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

## 3 Composition and Information on Ingredients

#### **Chemical Characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:			
CAS: 13822-56-5	3-(Trimethoxysilyl)propylamine	<2.5%	
	Eye Damage 1, H318;  Skin Corrosion/Irritation 2, H315; Flammable Liquids 4, H227		
CAS: 1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	<1%	
	Eye Damage 1, H318;  Acute Toxicity (Inhalation) 4, H332; Skin Sensitisation 1, H317		
CAS: 52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester	<1%	
	Eye Damage 1, H318		

## **4 First Aid Measures**

### Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

## according to WHS Regulations

Printing date 23.02.2023 Revision date: 23.02.2023

**Product Name: Maxisil Maxigrab Original** 

(Contd. of page 1)

#### **Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation persists.

#### Eye Contact:

In case of eye contact, rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention.

#### Ingestion:

If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

#### Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. Skin Contact: May cause skin irritation. Eye Contact: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

## **5 Fire Fighting Measures**

## **Suitable Extinguishing Media:**

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

## Specific Hazards Arising from the Chemical:

Hazardous combustion products include toxic gases.

Product is not flammable.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

#### **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

## 6 Accidental Release Measures

#### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear protective equipment. Keep unprotected persons away. Take care as spill may cause a slip hazard. Ensure adequate ventilation.

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

## Methods and Materials for Containment and Cleaning Up:

Wipe up small spills with a paper towel or dry rag. Clean up all spills immediately, since spilled materials, even in small quantities, may present a slip hazard. Absorb large spills with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Decontaminate spill area with water and detergents.

## 7 Handling and Storage

#### **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### **Conditions for Safe Storage:**

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from direct sunlight, heat, sparks, open flames and other sources of ignition.

(Contd. on page 3)

according to WHS Regulations

Printing date 23.02.2023 Revision date: 23.02.2023

**Product Name: Maxisil Maxigrab Original** 

(Contd. of page 2)

## 8 Exposure Controls and Personal Protection

#### **Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

## **Respiratory Protection:**

Use an approved vapour respirator (ABEK type) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

#### **Skin Protection:**

Nitrile rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

## **Eye and Face Protection:**

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

## 9 Physical and Chemical Properties

Appearance:

Form: Paste

**Colour:** According to product specification

Odour: Alcohol-like

Odour Threshold:

pH-Value:

Melting point/freezing point:
Initial Boiling Point/Boiling Range:
Flash Point:

No information available
No information available
No information available
No information available

Flammability: Not applicable

Auto-ignition Temperature: No information available Decomposition Temperature: No information available

**Explosion Limits:** 

Lower:
Upper:
No information available
Vapour Pressure:
Relative Density:
Vapour Density:
Vapour Density:
Vapour Density:
Vaporation Rate:
Solubility in Water:
No information available

### 10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.

(Contd. on page 4)

## according to WHS Regulations

Printing date 23.02.2023 Revision date: 23.02.2023

**Product Name: Maxisil Maxigrab Original** 

(Contd. of page 3)

Incompatible Materials: None known.

Hazardous Decomposition Products: Toxic gases.

## 11 Toxicological Information

#### **Toxicity:**

LD50/LC5	LD50/LC50 Values:			
CAS: 1382	CAS: 13822-56-5 3-(Trimethoxysilyl)propylamine			
Oral	LD50	2,970 mg/kg (Rattus norvegicus (rat)) (OECD Test Guideline 401)		
Dermal	LD50	11,300 mg/kg (Rattus norvegicus (rat)) (OECD Test Guideline 402)		
CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine				
Oral	LD50	2,995 mg/kg (Rattus norvegicus (rat))		
	LD50	>2,000 mg/kg (Rattus norvegicus (rat))		
Inhalation	LC50/4 h	1.49-2.44 mg/l (Rattus norvegicus (rat))		
CAS: 52829-07-9 Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester				
Oral	LD50	3,700 mg/kg (Rattus norvegicus (rat)) (OECD Test Guideline 423)		
Dermal	LD50	>3,170 mg/kg (Rattus norvegicus (rat)) (OECD Test Guideline 402)		

#### **Acute Health Effects**

Inhalation: May cause respiratory irritation.

**Skin:** May cause skin irritation. **Eye:** Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

### Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

## Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No information available

Existing Conditions Aggravated by Exposure: No information available

## 12 Ecological Information

#### **Ecotoxicity:**

#### Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 13822-56-5 3-(Trimethoxysilyl)propylamine				
EC50/48 h 331 mg/l (Daphnia magna (water flea)) (OECD Test Guide	line 202)			

(Contd. on page 5)

## according to WHS Regulations

Printing date 23.02.2023 Revision date: 23.02.2023

**Product Name: Maxisil Maxigrab Original** 

(Contd. of page 4)

LC50/96 h  >934 mg/l (Danio rerio (zebra fish)) (OECD Test Guideline 203)			
CAS: 1760-24-3 N-(3-(trimethoxysilyl)propyl)ethylenediamine			
EC50/48 h 81 mg/l (Daphnia magna (water flea)) (OECD 202)			
CAS: 52829-07-9 Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester			
EC50/72 h	0.705 mg/l (Pseudokirchneriella subcapitata (algae)) (OECD 201)		
LC50/96 h	4.4 mg/l (Lepomis macrochirus (bluegill)) (OECD 203)		
	5.29 mg/l (Oryzias latipes (Japanese rice fish)) (OECD 203)		
LC50/48 h	8.58 mg/l (Daphnia magna (water flea)) (OECD 202)		

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

#### **Disposal Methods and Containers:**

Dispose according to applicable local and state government regulations.

Already cured material can be disposed of with the domestic or commercial waste. Unconsumed material (fluid, paste-like) is to be disposed of as hazardous waste.

#### Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

UN Number Not regulatedProper Shipping Name Not regulatedDangerous Goods Class Not regulatedPacking Group: Not regulated

## 15 Regulatory Information

## **Australian Inventory of Industrial Chemicals:**

All ingredients are listed.

## Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Not a scheduled poison.

## 16 Other Information

Date of Preparation or Last Revision: 23.02.2023

Prepared by: MSDS.COM.AU Pty Ltd www.msds.com.au

#### Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity (Inhalation) 4: Acute toxicity - Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation - Category 1

according to WHS Regulations

Printing date 23.02.2023 Revision date: 23.02.2023

**Product Name: Maxisil Maxigrab Original** 

(Contd. of page 5)

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A Skin Sensitisation 1: Skin sensitisation, Hazard Category 1

#### **Disclaimer**

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Maxisil makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.