

according to WHS Regulations

Print date: 17.08.2023

## 1 Identification

Product Name: MAXISIL CLEANER

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Tile and stainless steel cleaner

**Details of Manufacturer or Importer:** Maxisil 55 Lakewood Boulevard Carrum Downs VIC 3201

Phone Number: 1300 157 207

Emergency telephone number: National Poisons Information Centre: 13 11 26

## 2 Hazard(s) Identification

## Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Flammable Liquids 2 H225 Highly flammable liquid and vapour.



Eye Irritation 2AH319 Causes serious eye irritation.STOT SE 3H336 May cause drowsiness or dizziness.

### Signal Word Danger

## **Hazard Statements**

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

## **Precautionary Statements**

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof electrical/ventilating/lighting equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.		
P264	Wash thoroughly after handling.		
P271	Use only outdoors or in a well-ventilated area.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin			
	with water/shower.		
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for		
	breathing.		
P305+P351+P338	B IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.		
P312	Call a POISON CENTER/doctor if you feel unwell.		
P337+P313	If eye irritation persists: Get medical advice/attention.		

Revision date: 17.08.2023

according to WHS Regulations

Print date: 17.08.2023

Revision date: 17.08.2023

Product Name: MAXISIL CLEANER

(Contd. of page 1)

>99%

(+
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition and Information on Ingredients

## **Chemical Characterization: Mixtures**

Description: Mixture of substances listed below with nonhazardous additions.

## Hazardous Components:

CAS: 67-64-1 Acetone

🚸 Flammable Liquids 2, H225; 🚸 Eye Irritation 2A, H319; STOT SE 3, H336

## **4 First Aid Measures**

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

#### Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

#### **Eye Contact:**

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

#### Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

### Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. May cause drowsiness or dizziness.

Skin Contact: May cause skin irritation.

Eye Contact: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

## 5 Fire Fighting Measures

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of nitrogen, smoke and other unidentified toxic fumes.

Product is highly flammable. Vapours can travel considerable distances and flashback to its point of generation if it meets a source of ignition.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •2YE

## **Special Protective Equipment and Precautions for Fire Fighters:**

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

### 6 Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

according to WHS Regulations

Print date: 17.08.2023

Revision date: 17.08.2023

## Product Name: MAXISIL CLEANER

(Contd. of page 2)

#### **Environmental Precautions:**

In the event of a major spill, prevent spillage from entering drains or water courses.

## Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so. Wipe up with clean cloth or paper towels. Absorb large spills with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-spaking tools.

## 7 Handling and Storage

#### **Precautions for Safe Handling:**

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

#### Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents. Do not weld, cut or drill on full or empty containers. Handling equipment must be grounded to prevent sparking.

## **8 Exposure Controls and Personal Protection**

#### Exposure Standards:

#### CAS: 67-64-1 Acetone

WES STEL: 2375 mg/m<sup>3</sup>, 1000 ppm TWA: 1185 mg/m<sup>3</sup>, 500 ppm

#### Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

#### **Respiratory Protection:**

Use an approved vapour respirator (Filter type AX) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

#### Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

#### Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

## 9 Physical and Chemical Properties

Appearance: Form: Colour: Odour: Odour Threshold:

Liquid Colourless Acetone-like No information available

according to WHS Regulations

Print date: 17.08.2023

## Product Name: MAXISIL CLEANER

Revision date: 17.08.2023

(Contd. of page 3)

pH-Value: Melting point/freezing point: Initial Boiling Point/Boiling Range: Flash Point: Flammability (solid, gas): Auto-ignition Temperature: Decomposition Temperature: Explosion Limito:	No information available -94.7 °C 55-57 °C -20 °C Not applicable 465 °C No information available
Explosion Limits: Lower: Upper: Vapour Pressure at 20 °C: Relative Density at 20 °C: Vapour Density: Evaporation Rate: Solubility in Water: Partition Coefficient (n-octanol/water): Viscosity:	No information available No information available 259 hPa 0.791-0.793 2.0 (air = 1) 5.6 (n-butyl acetate = 1) Soluble No information available 0.33 mPas

## 10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products:

Oxides of carbon, oxides of nitrogen, smoke and other unidentified toxic fumes.

## 11 Toxicological Information

Toxicity:				
LD50/LC50 Values:				
CAS: 67-64-1 Acetone				
Oral	LD50	5,800 mg/kg (Rattus norvegicus (rat))		
	LD50	>7,426 mg/kg (Oryctolagus cuniculus (rabbit))		
Inhalation	LC50/4 h	30,000 ppm (Rattus norvegicus (rat))		

### **Acute Health Effects**

Inhalation: May cause respiratory irritation. May cause drowsiness and dizziness.

Skin: May cause skin irritation.

**Eye:** Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

### Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause drowsiness and dizziness.

according to WHS Regulations

Print date: 17.08.2023

Product Name: MAXISIL CLEANER

Revision date: 17.08.2023

(Contd. of page 4)

## Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: No data associated with long term health effects.

Existing Conditions Aggravated by Exposure: No data available.

## 12 Ecological Information

#### **Ecotoxicity**:

### Aquatic toxicity:

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## CAS: 67-64-1 Acetone

EC50/48 h 12,600 mg/l (Daphnia magna (water flea)) LC50/96 h 4,740-6,330 mg/l (Oncorhynchus mykiss (rainbow trout))

Persistence and Degradability: No data available on finished product.

Bioaccumulative Potential: No data available on finished product.

Mobility in Soil: No data available on finished product.

Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

#### **Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

## 14 Transport Information

UN Number ADG, IMDG, IATA	UN1090		
Proper Shipping Name ADG, IMDG, IATA	ACETONE solution		
Dangerous Goods Class ADG Class:	3		
Packing Group: ADG, IMDG, IATA	II		
EMS Number:	F-E,S-D		
Hazchem Code:	•2YE		
Excepted quantities (EQ)	: E2		
Limited Quantities:	1 L		
15 Regulatory Information			

# Australian Inventory of Industrial Chemicals:

All ingredients are listed.

**Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:** Poisons Schedule: 5

according to WHS Regulations

Print date: 17.08.2023

Product Name: MAXISIL CLEANER

## 16 Other Information

Prepared by: MSDS.COM.AU Pty Ltd

Date of Preparation or Last Revision: 14.08.2023

www.msds.com.au

#### Abbreviations and acronyms:

ADG: Australian Dangerous Goods IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent IARC: International Agency for Research on Cancer STEL: Short Term Exposure Limit TWA: Time Weighted Average NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants) Flammable Liquids 2: Flammable liquids – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020".

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Maxisil makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

(Contd. of page 5)

Revision date: 17.08.2023