

Safety Data Sheet

according to WHS Regulations

Print date: 17.08.2023

Revision date: 17.08.2023

1 Identification

Product Name: MAXISIL CLEANER**Other Means of Identification:** Mixture**Recommended Use of the Chemical and Restriction on Use:** Tile and stainless steel cleaner**Details of Manufacturer or Importer:**

Maxisil

55 Lakewood Boulevard

Carrum Downs VIC 3201

Phone Number: 1300 157 207**Emergency telephone number:** National Poisons Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapour.



Eye Irritation 2A

H319 Causes serious eye irritation.

STOT SE 3

H336 May cause drowsiness or dizziness.

Signal Word Danger**Hazard Statements**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary Statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Print date: 17.08.2023

Revision date: 17.08.2023

Product Name: MAXISIL CLEANER

(Contd. of page 1)

P370+P378	In case of fire: Use CO ₂ , powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 67-64-1	Acetone	>99%
	 Flammable Liquids 2, H225;  Eye Irritation 2A, H319; STOT SE 3, H336	

4 First Aid Measures

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if irritation occurs.

Eye Contact:

In case of eye contact, rinse with water for several minutes, including under eyelids. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Seek medical attention if irritation persists.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. May cause drowsiness or dizziness.

Skin Contact: May cause skin irritation.

Eye Contact: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

5 Fire Fighting Measures

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, oxides of nitrogen, smoke and other unidentified toxic fumes.

Product is highly flammable. Vapours can travel considerable distances and flashback to its point of generation if it meets a source of ignition.

Containers close to fire should be removed only if safe to do so. Use water spray to cool fire exposed containers.

Minimise run-off from fire fighting entering drains or water courses.

HAZCHEM Code: •2YE

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots.

Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Print date: 17.08.2023

Revision date: 17.08.2023

Product Name: MAXISIL CLEANER

(Contd. of page 2)

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so. Wipe up with clean cloth or paper towels. Absorb large spills with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Use only non-sparking tools.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Take precautionary measures against static discharge. Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Protect from heat, sparks, open flames and other sources of ignition. Keep away from strong oxidising agents. Do not weld, cut or drill on full or empty containers. Handling equipment must be grounded to prevent sparking.

8 Exposure Controls and Personal Protection

Exposure Standards:**CAS: 67-64-1 Acetone**

WES	STEL: 2375 mg/m ³ , 1000 ppm TWA: 1185 mg/m ³ , 500 ppm
-----	--

Engineering Controls:

Ensure adequate ventilation of the working area, keeping airborne concentrations below occupational exposure standards.

Respiratory Protection:

Use an approved vapour respirator (Filter type AX) under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Protective gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Safety glasses with top and side shields or goggles. See Australian/New Zealand Standards AS/NZS 1336 and 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Colourless
Odour:	Acetone-like
Odour Threshold:	No information available

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Print date: 17.08.2023

Revision date: 17.08.2023

Product Name: MAXISIL CLEANER

(Contd. of page 3)

pH-Value:	No information available
Melting point/freezing point:	-94.7 °C
Initial Boiling Point/Boiling Range:	55-57 °C
Flash Point:	-20 °C
Flammability (solid, gas):	Not applicable
Auto-ignition Temperature:	465 °C
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure at 20 °C:	259 hPa
Relative Density at 20 °C:	0.791-0.793
Vapour Density:	2.0 (air = 1)
Evaporation Rate:	5.6 (n-butyl acetate = 1)
Solubility in Water:	Soluble
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	0.33 mPas

10 Stability and Reactivity

Possibility of Hazardous Reactions: No dangerous reactions known under conditions of normal use.

Chemical Stability: Stable at ambient temperature and under normal conditions of storage and use.

Conditions to Avoid: Heat, sparks, open flames and other sources of ignition.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products:

Oxides of carbon, oxides of nitrogen, smoke and other unidentified toxic fumes.

11 Toxicological Information

Toxicity:

LD50/LC50 Values:

CAS: 67-64-1 Acetone

Oral	LD50	5,800 mg/kg (Rattus norvegicus (rat))
	LD50	>7,426 mg/kg (Oryctolagus cuniculus (rabbit))
Inhalation	LC50/4 h	30,000 ppm (Rattus norvegicus (rat))

Acute Health Effects

Inhalation: May cause respiratory irritation. May cause drowsiness and dizziness.

Skin: May cause skin irritation.

Eye: Causes serious eye irritation.

Ingestion: May cause gastrointestinal irritation, nausea, diarrhoea and vomiting.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity:

Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause drowsiness and dizziness.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Print date: 17.08.2023

Revision date: 17.08.2023

Product Name: MAXISIL CLEANER

(Contd. of page 4)

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** No data associated with long term health effects.**Existing Conditions Aggravated by Exposure:** No data available.

12 Ecological Information

Ecotoxicity:**Aquatic toxicity:**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

CAS: 67-64-1 Acetone

EC50/48 h 12,600 mg/l (Daphnia magna (water flea))

LC50/96 h 4,740-6,330 mg/l (Oncorhynchus mykiss (rainbow trout))

Persistence and Degradability: No data available on finished product.**Bioaccumulative Potential:** No data available on finished product.**Mobility in Soil:** No data available on finished product.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number**ADG, IMDG, IATA** UN1090**Proper Shipping Name****ADG, IMDG, IATA** ACETONE solution**Dangerous Goods Class****ADG Class:** 3**Packing Group:****ADG, IMDG, IATA** II**EMS Number:** F-E,S-D**Hazchem Code:** •2YE**Excepted quantities (EQ):** E2**Limited Quantities:** 1 L

15 Regulatory Information

Australian Inventory of Industrial Chemicals:

All ingredients are listed.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Print date: 17.08.2023

Revision date: 17.08.2023

Product Name: MAXISIL CLEANER

(Contd. of page 5)

16 Other Information

Date of Preparation or Last Revision: 14.08.2023**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - July 2020”.

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Maxisil makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.