## The silicone smoothing agent Maxisil® Smoothtex A

**Technical Datasheet** 

Characteristics:

- Aqueous solution of surface-active substances
- Dermatologically tested ingredients, will not dry out your skin
- Dilute with water; 2 (smoothing agent) : 1 (water)
- Keeps the shine of the sealant surface intact
- Colouring pigments of the sealant are not washed off
  Not suitable for marble and other natural stones

Fields of application:

- Smoothing of sealant surfaces including silicone, polyurethane and MS hybrid polymer sealants.
- Specifically designed for use on Maxisil A and Maxisil P silicone sealants.

Standards and tests:

Due to the results of the in-vivo compatibility test (test report of Institute Fresenius, 65232
 Taunustein, Germany) Maxisil Smoothtex Smoothing Agent is classified as harmless in terms of a potential skin irritating effect

Technical properties:

Storage temperature from/to [°C]

0 / + 35

Shelf life at 23 °C/50 % RAH [years]

12 (1)

1) Frost-free storage

Application information:

For applications with marble and other natural stone substrates, Maxisil Smoothtex N Smoothing Agent must be used.

When using the smoothing agent, remove visible water streaks immediately after sealing. If the surfaces are cleaned at a later time, permanent streaks may remain.

For best results, do not leave large amounts of Smoothing agent on substrates. If this occurs, dried residue can cause adverse effects on the sealants surface i.e. (matt / bright spots). We recommended using smoothing agent sparingly. E.g. dip the smoothing tool (Maxisil Applicator) into the liquid only.

5L and 10L canisters are equipped with "Anti-bubble system".

Due to the variety of substrates, it's highly recommended to test on a small area, prior to application.

Please observe the recommended shelf life, printed on the packaging.



Packaging:		250ml plastic bottle	1000ml plastic bottle	5L plastic canister	10L plastic canister	60L plastic drum with lid	200L plastic drum with tap
	-	RDX2000	RDX1999	RDX2002	on request	on request	on request
	Packaging unit	15	6	1	1	1	1
	Pieces per pallet	_	_	72	30	_	2

Safety precautions: Please observe the material safety data sheet.

Disposal: Information about disposal: Please refer to the material safety data sheet.

Warranty information:

All information in this publication is based on our current technical knowledge and experience. However, since conditions and methods of use and application of our products are beyond our control, we suggest that you test the product before use. Information given in this technical data sheet and explanations of Maxisil in connection with this technical data sheet (e.g. service description, reference to DIN regulations etc.) is not to be seen as a warranty. Warranties require a separate written declaration of Maxisil to prove their validity. The characteristics stated in this data sheet define the characteristics of the article broadly and concludingly. Suggestions of use are not to be taken as confirmation of the appropriateness for the recommended intended use. We reserve the right to alter the product, adjusting it according to technical progress and new developments. We are at your disposal both for inquiries as well as specific application problems. If a governmental approval or clearance is necessary for the application of our products, the user is responsible for the obtainment of such. Our recommendations do not excuse the user from the obligation to take into consideration the possibility of infringement of third parties' rights and if necessary resolving it. For the rest, our general terms and conditions apply, in particular regarding a possible liability for defects. You can find our general terms and conditions on our homepage; robertsdesigns.com.au



